

GENERATOR WASTE CHARACTERIZATION REPORT

MANAGEMENT SERVICES, INC.

T#014175

	sount he completed for each congrete	e waste stream. Do not submit coples.
In this a XI New Waste !	for Approval?	MAGIC OHOMIN BE NOT CHANNEL COP. CO.
— —	Charactely Draviate Abbroval #	A LANGE OF THE PERSON OF TAXABLE ONE DINT
	1 15 '	s required and send with a REPRESENTATIVE ONE-PINT e scheduled for shipment until 1.) the facility has issued an
SAMPLE of this waste	to the facility. Waste loads will not be ne customer has signed and returned the	the quotation agreement.
approvarience and any	ECTIONIE TREATMENT DISI	ZOSA PRISEGOVERY NEEDS WAS SELECTED.
	equest is being submitted for (check all	
This waste approval		
	☑ TREATMENT	Hazardous and non-hazardous waste stabilization of
	Michigan Disposal, Inc. 49350 N. I-94 Service Drive	solids, semi-solids slurries and liquids. Inorganic waste
	Belleville, MI 48111	treatment to BDAT standards.
C MDI A	ATTN: Technical Review	Customer Service: (313) 699-7120
	☐ RECOVERY/FUEL BLENDING	
. ✓	Michigan Recovery Systems, Inc.	Hazardous and non-hazardous waste solvent recov-
	36345 Van Born Road	ery, recycling, and fuel blending. Containerized and bulk waste handling. Technology is BDAT for many
	Romulus, MI 48174 ATTN: Technical Review	organic wastes. Customer Service: (313) 326-3100
	☐ LANDFILL Wayne Disposal, Inc.	Secure hazardous and non-hazardous waste landfill
W	49350 N. I-94 Service Drive	services. Containerized and bulk waste management.
\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \	Belleville, MI 48111	Customer Service: (313) 697-7830
· •	ATTN: Technical Review	
	SECTIONAL ACIDITATION	REACHERAINE GRIMATE ON ESTABLISHED BY
Collector Harring among	· · · · · · · · · · · · · · · · · · ·	S.I.C. Codes*
Flair Name	ICH BOY 50 STATE STREET	US EPA ID #* NJD98:639177
Address	State NU Zip 68861	
Contact BARDIA JAF	ARI, R.E.M.	Telephone (304) 344-1640 Fax (304) 344-2889
Alternate B. S. SALL	UA, P.E.	Telephone (304) 344-1640 Fax (304) 344-2889
	######################################	SIND IN EORIAL TONG TO BE COME OF THE COME
Customer WASIE-TRON	, INC.	Has an account been opened? Yes ₹ No □
Address 1268 GREEN	DRIER SIREEL	If Yes, Account # 1329
Contact BARDIA JAFA	State WY Zip Z5511 RI, R.E.M.	Telephone (304) 344-1640 Fax (304) 344-2889
Contact		ESAMPLING PERCENTAGE FOR THE PROPERTY OF THE
A	label must accompany this report to initi	
the approval review D	rocess. Complete this label and attach	to a Waste Common Name:
REPRESENTATIVE	ONE-PINT SAMPLE of the waste.	DRY PAINT
		Generator Site Name:
Record the date and	name of person sampling:	USEPA REGION TI/NATIONAL LEAD
Sampling completed	byJACK_WILLSON	Sample Collected By:
		JACK WILSON
Date sample collecte	0	Date Collected: T#: 014175
Date sample and form	n sent <u>4-29-93</u>	4-23-93 338294

3 (5)		ONVESHIPPIN	SPANITA HAND	ILINGURED:	MARKET		
1.	Is this waste: a. Reactive		No 🖾		10.0	Yes 🗆	No 🖾
1	b. Shock Se	ensitive? Yes 🗆	No 🖾	e. Oxidizer		Yes 🗆	No 🖾
	c. Explosive	? Yes 🗆	No 囚 No 囚	f. Radioacti	ve?	Yee M	No 12
	If yes, contact an Envotech Ma	anagement Services F	lepresentative at	(313) 697-7830 H	efore com	pleting th	is form.
2.	Shipping Mode: Bulk L Shipping Volume per Week	.iquid 🔲 💢 🖪	ulk Solid 🔲 📉	Drums 🖾	(Other 🔲	
3.	Shipping Volume per Week.		•	_ per Month			
4.	Annual Total Volume	+4	One Time	Only Volume _	2 DRIN	1 6	
5.	DOT Shipping Name* HAZ Hazard Class* CRME	AKUUS WASIIS					
-	Hazaro Class GRAD		UN(9189		
Transition of the same of the		See Feitlon VIII	**************************************	lei dalalalikadi			
1.	Select one or more general of		waste at 70°F:				
İ	Powdery Soli			Sludge (non pur	npable)		
	Other Solid*	以		Liquid (pumpabl	e)		
1	Solls		•	Liquid (multi pha	150)		
	Debris (descr	ribe)			·		
2.	Does the waste have a chara		es 🗆 No 🔯	Describe			
3.	Color Description*: CRAY	K/AETTOM					
	Ass Pass Hautan aussetstant				u	SEPA SW	/-846* Method
4, 5.	Are Free Liquids associated	With this waste? Y	es Li No Kil.	• • • • • • • • • • • • • • • • • • • •		, ,	Method 9095
6.	Density: 10 IRS/GALION pH-Range: <2 □ 2-4.9	IT E-00 IX 404	c yards or	П /	specific gr	avily	
7.	Flash Point: - Liquid:* <90°	°F □ 90-140°F □	2.4 LJ >12.5	LI (attach lab re	95Ults) Haab lab .	Method	9040 or 9045
•	(If Flash Point	<140°F, provide TO	and VOC eng	i >200 F L.I (a Ivilcal regulta)	mach lab r	esults)	Method 1010
	- Solid:* <90°	F 🛛 90-140°F 🗍	>140°F 🗵	iyildai results.)			
14 APP 11	A SECTION VIEWER	X-paulxgas is			AIE MEET	BEIIS EIS	(6)
*			V. 1				
1.	Waste Common Name						
1. 2.	Provide a description of the p	rocess(es) generati	o this waste. (A	DETAILED EXP	LANATIO	N MUST B	E PROVIDED.
	Provide a description of the p	rocess(es) generation	ng this waste: (A	ふりんり んかい ちゃ	TAIL OIL M		B4 445
	Provide a description of the p ATTACH ADDITIONAL PAGE USEPA REGION II SUPPREMINI	rocess(es) generation (S) SHOWING PROC OCLEAN-UP OF AN OLI	ng this waste: (A	ふりんり んかい ちゃ	TAIL OIL M		B4 445
	Provide a description of the p	rocess(es) generation (S) SHOWING PROC OCLEAN-UP OF AN OLI	ng this waste: (A	ふりんり んかい ちゃ	TAIL OIL M		B4 445
	Provide a description of the p ATTACH ADDITIONAL PAGE USEPA REGION II SUPPREMINI	rocess(es) generation (S) SHOWING PROC OCLEAN-UP OF AN OLI	ng this waste: (A	ふりんり んかい ちゃ	TAIL OIL M		B4 445
2.	Provide a description of the p ATTACH ADDITIONAL PAGE USEPA REGION II SUPPREFUND FACILITY. CLEAN-UP OF PI	rocess(es) generation (S) SHOWING PROC OLEAN-UP OF AN OLE CIS AND SOIL.	ng this waste: (A CESS FLOW DIA DABANDONED PAT	IGRAM AND DE NI MANUFACTURIN	TAILS IF N G <u>AND Lea</u>	ECESSAF D BATTERY	RELYCLING
 3. 	Provide a description of the p ATTACH ADDITIONAL PAGE USEPA REGION II SUPERFUND FACILITY. CLEAN-UP OF PI Based upon lab analyses and	rocess(es) generation (S) SHOWING PROC OLEAN-UP OF AN OLE CIS AND SOIL.	ng this waste: (A CESS FLOW DIA DABANDONED PAT	IGRAM AND DE NI MANUFACTURIN THE MANUFACTURIN	TAILS IF N G <u>AND Lea</u>	ECESSAF D BATTERY e the com	RECYCLING RECYCLING position of the
 3. 	Provide a description of the p ATTACH ADDITIONAL PAGE USEPA REGION II SUPPREFUND FACILITY. CLEAN-UP OF PI	rocess(es) generation (S) SHOWING PROC OLEAN-UP OF AN OLE CIS AND SOIL.	ng this waste: (A CESS FLOW DIA DABANDONED PAT	IGRAM AND DE NI MANUFACTURIN	TAILS IF N G AND IFA de, describ	e the com	RECOLING RECOLING position of the m
 3. 	Provide a description of the p ATTACH ADDITIONAL PAGE USEPA REGION II SUPERFUND FACILITY. CLEAN-UP OF PI Based upon lab analyses and	orocess(es) generations(S) SHOWING PROC OCLEAN-UP OF AN OLI ITS AND SOIL.	ng this waste: (A CESS FLOW DIA DABANDONED PAT	IGRAM AND DE NI MANUFACTURIN THE MANUFACTURIN THE MANUFACTURIN THE MANUFACTURING THE WAS	AILS IF NG AND IFA	e the com Maximum	RECOLING RECOLING position of the m %
 3. 	Provide a description of the p ATTACH ADDITIONAL PAGE USEPA REGION II SUPERFUND FACILITY. CLEAN-UP OF PI Based upon lab analyses and	orocess(es) generations(S) SHOWING PROC OCLEAN-UP OF AN OLI ITS AND SOIL.	ng this waste: (A CESS FLOW DIA DABANDONED PAT	IGRAM AND DE NI MANUFACTURIN THE MANUFACTURIN THE MANUFACTURIN THE MANUFACTURING THE WAS	AILS IF NG AND IFA	e the company	position of the
3.	Provide a description of the p ATTACH ADDITIONAL PAGE USEPA REGION II SUPERFUND FACILITY, CLEAN-UP OF PI Based upon lab analyses and, waste: URY PAINT	orocess(es) generations(S) SHOWING PROC OCLEAN-UP OF AN OLI ITS AND SOIL.	ng this waste: (A CESS FLOW DIA DABANDONED PAT	IGRAM AND DE NI MANUFACTURIN THE MANUFACTURIN THE MANUFACTURIN THE MANUFACTURING THE WAS	e, describ	e the companion	position of the m % %
3.	Provide a description of the p ATTACH ADDITIONAL PAGE USEPA REGION II SUPERFUND FACILITY. CLEAN-UP OF PI Based upon lab analyses and	orocess(es) generations(S) SHOWING PROC OLEAN-UP OF AN OLI ITS AND SOIL.	ng this waste: (A CESS FLOW DIA DABANDONED PAT	AGRAM AND DE NI MANUFACTURIN THE MANUFACTURIN THE MANUFACTURIN THE MANUFACTURING NATIONAL MINIMUM 100	e, describ	e the com Maximum	position of the m % % %
3.	Provide a description of the p ATTACH ADDITIONAL PAGE USEPA REGION II SUPERFUND FACILITY. CLEAN-UP OF PI Based upon lab analyses and, waste: URY PAINT TOTAL:	orocess(es) generations(S) SHOWING PROC OLEAN-UP OF AN OLI ITS AND SOIL.	ng this waste: (A CESS FLOW DIA D ABANDARD PAT process(es) ger	AGRAM AND DE NY MANUFACTURIN DEPARTMENT DEPA	e, describ	e the company	position of the m % %
3.	Provide a description of the p ATTACH ADDITIONAL PAGE USEPA REGION II SUPERFUND FACILITY, CLEAN-UP OF PI Based upon lab analyses and, waste: URY PAINT	orocess(es) generations(S) SHOWING PROC OLEAN-UP OF AN OLI ITS AND SOIL.	ng this waste: (A CESS FLOW DIA D ABANDARD PAT process(es) ger	AGRAM AND DE NY MANUFACTURIN DEPARTMENT DEPA	de, describ	e the company	position of the m % % % % % % 100 %
 3. 4. 	Provide a description of the p ATTACH ADDITIONAL PAGE USEPA REGION II SUPERFUND FACILITY. CLEAN-UP OF PI Based upon lab analyses and, waste: IRY PAINT TOTAL: Based upon RCRA Hazardou	orocess(es) generations (S) SHOWING PROCE (CLEAN-UP OF AN OLITIS AND SOIL. For knowledge of the	ng this waste: (A CESS FLOW DIA D ABANDONED PAT process(es) get	nerating the was Minimum 100 and Michigan Ad	te, describ	e the company Maximum 100	position of the m % % %
 3. 4. 	Provide a description of the p ATTACH ADDITIONAL PAGE USEPA REGION II SUPERFUND FACILITY. CLEAN-UP OF PI Based upon lab analyses and, waste: URY PAINT TOTAL: Based upon RCRA Hazardou a. Does this waste meet any	orocess(es) generating (S) SHOWING PROCEST (S) SHOWING PROCEST (S) CLEAN-UP OF AN OLIVIS AND SOIL. For knowledge of the second	process(es) ger	AGRAM AND DENT MANUFACTURING THE MANUFACTURING THE WAS MINIMUM 100	de, describ	e the company Maximum 100	position of the m % % % % % % 100 %
 3. 4. 	Provide a description of the p ATTACH ADDITIONAL PAGE USEPA REGION II SUPERFUND FACILITY, CLEAN-UP OF PI Based upon lab analyses and, waste: URY PAINT TOTAL: Based upon RCRA Hazardous a. Does this waste meet any b. Does this waste meet any	orocess(es) generating (S) SHOWING PROCEST (S) SHOWING PROCEST (S) CLEAN-UP OF AN OLIVIS AND SOIL. I/or knowledge of the second	process(es) ger	nerating the was Minimum 100 and Michigan A	de, describ	e the company Maximum 100	position of the m % % % % % % 100 %
 3. 	Provide a description of the p ATTACH ADDITIONAL PAGE USEPA REGION II SUPERFUND FACILITY. CLEAN-UP OF PI Based upon lab analyses and, waste:	rocess(es) generating (S) SHOWING PROCE OLEAN-UP OF AN OLI ILS AND SOIL. For knowledge of the secription of K listing description of K listing description of K listing description of K listing description of U listing de	process(es) ger	nerating the was Minimum 100	de, describ	e the company Maximum 100	position of the m % % % % % 100 %
 3. 	Provide a description of the p ATTACH ADDITIONAL PAGE USEPA REGION II SUPERFUND FACILITY. CLEAN-UP OF PI Based upon lab analyses and, waste: IRY PAINT TOTAL: Based upon RCRA Hazardous a. Does this waste meet any b. Does this waste meet any c. Does this waste meet any d. Does this waste meet any e. Does this waste exhibit lg e. Does this waste exhibit lg e. Does this waste exhibit lg	Incoess (es) generating (S) SHOWING PROCE OF AN OLD CLEAN-UP OF AN OLD IS AND SOIL. For knowledge of the secription of K listing description of K listing description of U	process(es) ger	nerating the was Minimum 100 and Michigan Ad	te, describe to	e the com Maximum 100	position of the m % % % % % % 100 %
 3. 	Provide a description of the p ATTACH ADDITIONAL PAGE USEPA REGION II SUPERFUND FACILITY. CLEAN-UP OF PI Based upon lab analyses and, waste: IRY PAINT TOTAL: Based upon RCRA Hazardous a. Does this waste meet any b. Does this waste meet any c. Does this waste meet any d. Does this waste meet any e. Does this waste exhibit lg e. Does this waste exhibit lg e. Does this waste exhibit lg	Incoess (es) generating (S) SHOWING PROCE OF AN OLD CLEAN-UP OF AN OLD IS AND SOIL. For knowledge of the secription of K listing description of K listing description of U	process(es) ger	nerating the was Minimum 100 and Michigan Ad	te, describe to	e the com Maximum 100	position of the m % % % % % % 100 %
 3. 	Provide a description of the p ATTACH ADDITIONAL PAGE USEPA REGION II SUPERFUND FACILITY. CLEAN-UP OF PI Based upon lab analyses and, waste: IRY PAINT TOTAL: Based upon RCRA Hazardou a. Does this waste meet any b. Does this waste meet any c. Does this waste meet any d. Does this waste meet any e. Does this waste meet any e. Does this waste exhibit Ig f. Does this waste exhibit Co	rocess(es) generating (S) SHOWING PROCE OLEAN-UP OF AN OLE ITS AND SOIL. For knowledge of the An ole its waste Regulations of K listing description of K listing description of U listing descripti	process(es) ger (40 CFR 261) ?	nerating the was Minimum 100 and Michigan A	te, describe to	e the com Maximum 100	position of the m % % % % % % 100 %
 3. 	Provide a description of the p ATTACH ADDITIONAL PAGE USEPA REGION II SUPERFUND FACILITY. CLEAN-UP OF PI Based upon lab analyses and, waste. IRY PAINT TOTAL: Based upon RCRA Hazardou a. Does this waste meet any b. Does this waste meet any c. Does this waste meet any d. Does this waste meet any e. Does this waste exhibit lg f. Does this waste exhibit Re g. Does this waste exhibit Re g. Does this waste exhibit Re g. Does this waste exhibit Re	rocess(es) generating (S) SHOWING PROCESS (S) SHOWING (S)	process(es) ger (40 CFR 261) (2) (40 CFR 261) (3) (40 CFR 261) (40 CFR 261) (5) (6) (7) (7) (7) (7) (7) (7) (7	nerating the was Minimum 100	de, describ	e the come Maximum 100	Position of the m % % % 100 % CODES
 3. 	Provide a description of the p ATTACH ADDITIONAL PAGE USEPA REGION II SUPERFUND FACILITY. CLEAN-UP OF PI Based upon lab analyses and, waste: IRY PAINT TOTAL: Based upon RCRA Hazardous a. Does this waste meet any b. Does this waste meet any c. Does this waste meet any d. Does this waste meet any d. Does this waste exhibit Ig f. Does this waste exhibit Co g. Does this waste exhibit Ro h. Does this waste exhibit Ro h. Does this waste exhibit To Does this waste exhibit To Does this waste leach Co Does this waste leach Co	rocess(es) generating (S) SHOWING PROCE OLEAN-UP OF AN OLE ITS AND SOIL. For knowledge of the secription of K listing description of K listing description of U listing de	process(es) ger 3 (40 CFR 261) 7	nerating the was Minimum 100 and Michigan A	te, describe to	e the company Maximum 100	position of the m % % % % % % 100 %
 3. 	Provide a description of the p ATTACH ADDITIONAL PAGE USEPA REGION II SUPERFUND FACILITY. CLEAN-UP OF PI Based upon lab analyses and, waste: IRY PAINT TOTAL: Based upon RCRA Hazardou a. Does this waste meet any b. Does this waste meet any c. Does this waste meet any d. Does this waste meet any e. Does this waste exhibit Ig f. Does this waste exhibit Re b. Does this waste leach Cop Does this waste leach Zine	irocess(es) generating (S) SHOWING PROCE OLEAN-UP OF AN OLE ITS AND SOIL. Is AND SOIL. If Isting description of K listing description of K listing description of W listi	process(es) ger 3 (40 CFR 261) 7	nerating the was Minimum 100 and Michigan A	te, describe to	ECESSAFD BATTERY e the company Maximum 100 s: NO E E E E E E E E E E E E E E E E E E	Position of the m % % % 100 % CODES
 3. 4. 	Provide a description of the p ATTACH ADDITIONAL PAGE USEPA RESION II SUPERFUND FACILITY. CLEAN-UP OF PI Based upon lab analyses and, waste: IRY PAINT TOTAL: Based upon RCRA Hazardou a. Does this waste meet any b. Does this waste meet any c. Does this waste meet any d. Does this waste meet any e. Does this waste meet any e. Does this waste exhibit Ig f. Does this waste exhibit Co g. Does this waste exhibit Re h. Does this waste leach Co p. Does this waste leach Co p. Does this waste leach Zine For hazardous wastes, does the	rocess(es) generating (S) SHOWING PROCE OLEAN-UP OF AN OLE ITS AND SOIL. For knowledge of the visiting description of K listing description of K listing description of K listing description of V	process(es) ger 3 (40 CFR 261) 7	nerating the was Minimum 100 and Michigan Ad	te, describe to	e the company Maximum 100	Position of the m % % % 100 % CODES
 3. 4. 	Provide a description of the p ATTACH ADDITIONAL PAGE USPA RESION II SUPERFUND FACILITY. CLEAN-UP OF PI Based upon lab analyses and, waste. IRY PAINT TOTAL: Based upon RCRA Hazardou a. Does this waste meet any b. Does this waste meet any c. Does this waste meet any d. Does this waste meet any e. Does this waste exhibit Ig f. Does this waste exhibit Re b. Does this waste exhibit Re b. Does this waste exhibit Re b. Does this waste leach Cop Does this waste leach Cop Does this waste leach Zin For hazardous wastes, does the standard(s) for the applicable of	rocess(es) generating (S) SHOWING PROCE OLEAN-UP OF AN OLE ITS AND SOIL. For knowledge of the value of the v	process(es) ger s (40 CFR 261) results) results) results) results) relaboresults) relaboresults) y land Disposal results)	nerating the was Minimum 100 and Michigan Advices restriction treatners the actual to the control of the contr	te, describe to	e the company Maximum 100	position of the m % % % 100 % CODES
 3. 6. 	Provide a description of the p ATTACH ADDITIONAL PAGE USEPA RESION II SUPERFUND FACILITY. CLEAN-UP OF PI Based upon lab analyses and, waste: IRY PAINT TOTAL: Based upon RCRA Hazardou a. Does this waste meet any b. Does this waste meet any c. Does this waste meet any d. Does this waste meet any e. Does this waste meet any e. Does this waste exhibit Ig f. Does this waste exhibit Co g. Does this waste exhibit Re h. Does this waste leach Co p. Does this waste leach Co p. Does this waste leach Zine For hazardous wastes, does the	rocess(es) generating (S) SHOWING PROCE OLEAN-UP OF AN OLE ITS AND SOIL. For knowledge of the value of the v	process(es) ger s (40 CFR 261) results) results) results) results) results) relab results) y land Disposal results) y land Disposal results)	nerating the was Minimum 100 and Michigan Address Michigan Michigan Address Michigan Michigan Address Michigan Michigan Address Michigan Michigan Address Michigan Michigan Address Michigan	te, describe to	ECESSAFD BATTERY e the company Maximum 100 s: NO EX	Position of the m % % % 100 % CODES

^{*} See full instructions on separate sheet.

SECTION V	DesiriEeleAMes	Molyffel toyg	inizienziilarainzkisikkis		
Only for Michigan Recovery System	ns, Inc. wastes, pe	erform all of the			
Water (%)					
Sulfur (%) Enclose lab reports for F001 - F00!	Chlorine (9		PCBs (total ppm) Ash (%)	 -	
Enclose lab reports for Foot - Foot				731.45.07.000	
Description of the Committee of the Comm	SECTION	e velabilist	ZAMPONE - JAKET		
				Yes	No
1. Does the waste contain cyanid	e amenable to chi	orination above	250 ppm?*		X
2. Does the waste contain reactiv		X			
3. Does this waste contain PCBs					团
4. Is this a dioxin/furan waste as			Hazardous Waste	-	794
numbers F020, F021, F022, F0 5. Is this a California List hazardo)23, F026, F027, F	028?	arangle compounds found		Ø
Is this a California List hazardo in Appendix III of 40 CFR Part	us waste curtainii 268 in total concer	ig nalogenaled itration greater	than or equal to 1,000 mg/l ?		K)
6. Is this a liquid hazardous waste	e containing Nicke	(>134 mg/L) o	Thallium (>130 mg/L)?	ō	
7. Mark the "Yes" column to indic	ate which TCLP te	sling has been	conducted. (attach		
lab results*)	•		•		
For those constituents not test	ed, mark "No" arid	sign the certific	ation provided.		
Either "Yes" or "No" MUST be	checked for each	and every const	ituent.		•
TCLP REG	ULATORY	CONST	ITUENT TESTING CONDUCT	ED	
	N LEVELS		RTIFICATION		
•	•				
ZHE ORGANICS*	mg./L	YES	NO CERTIFICATION		ŀ
D018 Benzene	0.5		☐ Based upon my k		
D019 Carbon Tetrachloride	0.5		図 waste and the pro 図 the waste, these c		
D021 Chlorobenzene D022 Chloroform	100.0 6.0				
D028 1,2-Dichloroethane	0.5	H	区 not present in the Nazardous classifi		
D029 1,1-Dichloroethylene	0.7		X Pazardous classifi		1
D035 Methyl Ethyl Ketone	200.0	<u> </u>	Signed 4 6	K. Tou	<u></u>
D039 Tetrachloroethylene	0.7		X)		
D040 Trichloroethylene	0.5				
D043 Vinyl Chloride	0.2		[3]		
METALS*		F*1	CERTIFICATION		
D004 Arsenic	5.0	H	Based upon my k		
D005 Barium D006 Cadmium	100.0 1.0	H			
D007 Chromium	5.0		图 "Based upon my k 图 waste and the pro the waste, these c not present in the		
D008 Lead	5.0		hazardous classifi		
D009 Mercury	0.2	00000	日 hazardous classifi 区 Signed 上 区 区		i i
D010 Selenium	1.0		⊠ Signed 1	R. To	eu-
D011 Silver	5.0				Ī
001D Copper	100.0		<u>N</u>		j
003D Zinc	500.0	u (R		
ACID EXTRACTABLES*		!	CERTIFICATION		
D023 o-Cresol**	200.0	п		nowledge	of the
D023 0-0resol**	200.0	<u> </u>	图 "Based upon my k 图 waste and the pro		
D025 p-Cresol**	200.0	- 5 i	the waste, these c		
D026 Cresol	200.0		not present in the		
D037 Pentachlorophenol	100.0		因 hazardous classifi		
D041 2,4,5-Trichlorophenol	400.0			0	
D042 2,4,8-Trichlorophenol	2.0		Signed 4	K. 10	eur
** If o m and n Cresols cannot be	differentiated use	Total Cresol co	ncontration	·	ionlinuad).

^{*} See full instructions on separate sheet.

A comparation of the control of the	File State (Blein		NS (Sonilaved)			
TCLP REGUI ACTION			TITUENT TESTING CONDUCTED RTIFICATION			
BASE NEUTRAL EXTRACTABLES* D027 1,4-Dichlorobenzene D030 2,4-Dinitrotoluene D032 Hexachlorobenzene D033 Hexachlorobutadiene D034 Hexachloroethane D036 Nitrobenzene D038 Pyridine	mg./L 7.5 0.13 0.13 0.5 3.0 2.0 5.0	YES	NO CERTIFICATION "Based upon my knowledge of the waste and the process generating the waste, these constituents are not present in the waste above hazardous classification levels." Signed			
PESTICIDES* D020 Chlordane D012 Endrin D031 Heptachlor (& its Hydroxid D013 Lindane D014 Methoxychlor D015 Toxaphene HERBICIDES*	0.03 0.02 e) 0.008 0.4 10.0 0.5	00000	CERTIFICATION "Based upon my knowledge of the waste and the process generaling the waste, these constituents are not present in the waste above hazardous classification levels." Signed A. Tossur			
D016 2,4-D D017 2,4,5-TP (Silvex)	10.0 1.0		TS ES			
REQUIREN APPLICATION PACKAGE CONT All pertinent items must be included.	TENTS	•	PPLICATION SUBMITTAL			
1) Waste Characterization 2) Lab Reports Required fo a. Free Liquid Testing b. pH c. Flashpoint d. Cyanide e. Sulfide f. Land Disposal Restric g. TCLP testing, includin 3) Representative Sample (4) MSDS 5) Other:	Report Form r: tion Constituent Lev g Copper and Zinc of Waste		package.			
"I hereby authorize Envotech personnel to add supplemental information to the waste approval file provided I am contacted to give verbal permission. I authorize Envotech personnel to obtain a sample from any waste shipment for purposes of verification and confirmation." Signed						
"I certify that all information (including	attached information	n) is comple	lete and factual and is an accurate representation of s, pertaining to the waste described herein."			
			tenen R. Tour Date 4/21/93			

^{*} See full instructions on separate sheet.



GENERATOR WASTE CHARACTERIZATION REPORT

MANAGEMENT SERVICES, INC.

T# 01 /170

		"U141/6
		e waste stream. Do not submit coples,
Is this a Di New Waste		
	am Reapproval? Previous Approval # .	s required and send with a REPRESENTATIVE ONE-PINT
SAMPLE of this waste	to the facility. Waste loads will not b	e scheduled for shipment until 1.) the facility has issued an
approval letter and 2.) ti	he customer has signed and returned	the quotation agreement.
	SECTION STREATMENT DIS	POSAFA HEGOVERY NEEDS - PESSON
	equest is being submitted for (check a	
	II TREATMENT	
	Michigan Disposal, Inc.	Hazardous and non-hazardous waste stabilization of
	49350 N. I-94 Service Drive	solids, semi-solids slurries and liquids. Inorganic waste
	Belleville, MI 48111	treatment to BDAT standards.
	ATTN: Technical Review	Customer Service: (313) 699-7120
	☐ RECOVERY/FUEL BLENDING	
	Michigan Recovery Systems, Inc.	
	36345 Van Born Road	ery, recycling, and fuel blending. Containerized and
	Romulus, MI 48174 ATTN: Technical Review	bulk waste handling. Technology is BDAT for many organic wastes. Customer Service: (313) 326-3100
		organic wastes. Customer Service: (313) 326-3100
(7-11-11-11-11-11-11-11-11-11-11-11-11-11	LANDFILL	
W	Wayne Disposal, Inc. 49350 N. I-94 Service Drive	Secure hazardous and non-hazardous waste landfill services. Containerized and bulk waste management.
Ĭ	Belleville, MI 48111	Customer Service: (313) 697-7830
•	ATTN: Technical Review	
	SECTION IN GENERATION	GACILITY INFORMATION OF THE STATE OF THE STA
Generator Name USE	PA REGION II/NATIONAL LEAD	S.I.C. Codes*
		US EPA ID #*
	O STATE STREET	
PERUH AMBOY ContactBARDIA_JAFA	State NJ Zip 08861	Tolout and 1906 1 200 1600 mg 200 1 0000
Alternate B. S. SALIU	· · · · · · · · · · · · · · · · · · ·	Telephone (304) 344-1640 Fax (304) 344-2899 Telephone (304) 344-1640 Fax (304) 344-2889
	THE LOSS OF THE COURSE WHILE DEPOSIT OF THE COURSE WAS A STATE OF THE	
Customer WASIE-IR		ING INFOLMATION CONTRACTOR CONTRACTOR
	CAMMILIAN CHANCASIN	Has an account been opened? Yes ☑ No ☐
CHARLESTON	StateW _ Zip25311	
Contact BARDIA JAFA	RI, R.E.M.	Telephone (304) 344-1640 Fax (304) 344-2889
	WATER BETTER TO THE PROPERTY OF THE PROPERTY O	SAMPHINE TO PART OF THE PART O
A sample bearing this la	abel must accompany this report to initia	ate
the approval review pro	cess. Complete this label and attach to	
REPRESENTATIVE O	NE-PINT SAMPLE of the waste.	SOIL.
Record the date and na	ame of person sampling:	Generator Site Name:
TOP: - THE WARM WIND IN	· · · · · · · · · · · · · · · · · · ·	USEPA REGION IT/NATIONAL LEAD
Sampling completed by	JACK WILSON	Sample Collected By:
Data sample collected	<u>4-23-93</u>	JACK WILSON
Date sample collected.	4 4 7 3	
Date sample and form	sent 4-29-93	Date Collected: T#: 014176
•	, 	<u>4-73-93</u>
		·

	SECTION VESHIENING AND HAN	DEINGIKEDEK	//ATHEINE		
1.		d. Pyrophoric	c? \	∕es 🏻	No 🖾
1	b. Shock Sensitive? Yes 🔲 No 🔯			∕es 🏻	No 🔯
l		f. Radioactiv		∕es 🏻	No 🖄
١.	If yes, contact an Envolech Management Services Representative a				form.
2.				ner 🔲	
3.	Shipping Volume per Week One Tir	per Montn	42 IIIM	ž	
4. 5.	DOT Shipping Name* HAZARIUS WASIE	ne Only Volume	AC THEFT	<u></u>	
]	Hazard Class* UN	(NA)#*	9189	· · · · · · · · · · · · · · · · · · ·	
165	A SALATAN SALATAN SECTION VIEW ASTRACT	Nic Helefall Vivil			
4	Select one or more general description(s) for the waste at 70°F			A. S.	**************************************
'`	Powdery Solid	Sludge (non pum	nable)		
	Other Solid*	Liquid (pumpable		<u> </u>	
ĺ	Soils	Liquid (multi phas			
ŀ	Debris (describe)				
2.	Does the waste have a characteristic odor?* Yes 🗆 No 🗵	Describe			
3.	Color Description*: BROWN				
4.	Are Free Liquids associated with this waste? Yes D No 🖾	[.	US	EPA SW	846* Melliod
5.	Density: 12 LRS/GALLON Ibs/gallon or Ibs/cubic yards or		necific arm	itse	Method 9095
6.	pH-Range: <2 2-4.9 5-9.9 10-12.4 >12	5 🛘 (attach lab re	pecino grav sults)	Method	9040 or 9045
7.	Flash Point: - Liquid:* <90°F	□ >200°F □ (at	tach lab res	sults)	Method 1010
	(If Flash Point <140°F, provide TOC and VOC ar	alytical results.)			
	- Solid:* <90°F ☐ 90-140°F ☐ >140°F ☒				
	洲。Section Vipaerie Ating Process 数据	WA EGIGIUS ISH	ARACTE	alstic	iki s
1.	Waste Common Name SOIL CONTAMINATED WITH IFAD (HI-1,			The state of the state of	
2.	Provide a description of the process(es) generating this waste:	(A DETAILED EXP	LANATION	MUST B	E PROVIDED.
	ATTACH ADDITIONAL PAGE(S) SHOWING PROCESS FLOW D	IAGRAM AND DET	AILS IF NE	CESSAR	Y*)
	USERA REGION II SUPERFUND CLEAN-UP OF AN OLD ABANDONED I	AINT MANUFACTURIN	g and lead	BATTERY	RECYCLING
	FACILITY. CLEAN-UP OF PIIS AND SOIL.		·		· · · · · ·
3.	Based upon lab analyses and/or knowledge of the process(es) g	enerating the wast	e, describe	the comp	position of the
	waste:	Minimum		Maximur	n
	SUIL	100	to		%
			to		%
	TOTAL:		to		
	TOTAL:			<u> </u>	100_%
4.	Based upon RCRA Hazardous Waste Regulations (40 CFR 26	1) and Michigan Ad	t 64 Rules:		
		•	YES	ЙŌ	CODES
	a. Does this waste meet any F listing description?			Ø	
	b. Does this waste meet any K listing description?			<u> </u>	
	c. Does this waste meet any P listing description?				
	d. Does this waste meet any U listing description?			図	
	e. Does this waste exhibit Ignitability? (attach lab results)f. Does this waste exhibit Corrosivity? (attach lab results)	*******************	Н	(A)	****
	 f. Does this waste exhibit Corrosivity? (attach lab results) g. Does this waste exhibit Reactivity? (attach lab results) 			阿二阿阿阿阿阿阿阿	
	h. Does this waste exhibit Toxicity? (attach lab results)		<u> </u>	ä	DOUB
	i. Does this waste leach Copper > 100ppm? (attach lab resul	ts)		図	
	j. Does this waste leach Zinc > 500ppm? (attach lab results)			図	
5.	For hazardous wastes, does the waste exceed any land Dispos			_	Torus
	standard(s) for the applicable codes?* (attach lab results)				1008
6.	is this a non-hazardous liquid waste regulated by Michigan Act ich analytical results for all LDR constituents of concern for was	135("		\B	
Mile	ion analytical results for all LDM constituents of concent for was	re coneà mantinia	iii item 4 (8	oovej.	

^{*} See full Instructions on separate sheet.

W. A. A. Y. Market and A.	v.vulæbeglam/			A PARTY OF THE PROPERTY OF THE PARTY OF THE				
Only for Michigan Recovery Systems, Inc. wastes, perform all of the following analyses:								
Water (%)	Solids (%			at value (BTU/lb) _	<u> </u>			
Sulfur (%)		(%)		Bs (total ppm) _	· · · · · · · · · · · · · · · · · · ·			
Enclose lab reports for F001 - F005 solvent scan and TCLP metals:* Ash (%)								
	ez. EECTHOIN	Marce and	GATIENIS			medical Cold		
			- -	-	Yes	No		
1. Does the waste contain cy			250 ppm?	•		NEN		
2. Does the waste contain rea						N M		
3. Does this waste contain Po			- 41			N		
4. Is this a dioxin/furan waste numbers F020, F021, F022			Hazargous	Waste		凶		
5. Is this a California List haz			araania aa		ш	K.		
in Appendix III of 40 CFR F					m	rixi -		
6. Is this a liquid hazardous w						X		
7. Mark the "Yes" column to it					u.	LEA		
lab results*)	INIONI TOM	gamily mas poor	COMOGOGO	(auacii				
For those constituents not	tested mark "No" and	d cian the certific	nation nervic	dod .	,			
Either "Yes" or "No" MUST	be checked for each	and every cons	tituent.	TOO.				
	REGULATORY			STING CONDUCTE				
	TION LEVELS		RTIFICATIO		בט			
•	11011 667 666							
ZHE ORGANICS*	mg./L	YES		CERTIFICATION		. [
D018 Benzene	0.5		N N	"Based upon my kr				
D019 Carbon Tetrachloride				waste and the prod				
D021 Chlorobenzene	100.0	000000000	মত ভাষকভাৰ ভাৰ	the waste, these co				
D022 Chloroform	6.0	<u> </u>		not present in the v				
D028 1,2-Dichloroethane	0.5	Ü	l K	hazardous classific		əls."		
D029 1,1-Dichloroethylene				Signed Lt	0-	_		
D035 Methyl Ethyl Ketone		L L		Signed	K. /m	<u> </u>		
D039 Tetrachloroethylene	0.7					.		
D040 Trichloroethylene	0.5		K					
D043 Vinyl Chloride	0.2	u į	IXI					
METALS*	•			CERTIFICATION				
D004 Arsenic	5.0		凶	*Based upon my kr	nowledge	of the		
D005 Barium	100.0		図	waste and the proc	ess dene	rating		
D006 Cadmium	1.0		123	the waste, these co				
D007 Chromium	5.0			not present in the v				
D008 Lead	5.0	図		hazardous classific				
D009 Mercury	0.2		図	1,	<i>^</i>			
D010 Selenium	1.0		图图图图	Signed Att	K. To	im		
D011 Silver	5.0		区	~				
001D Copper	100.0		K)			.		
003D Zinc	500.0		N N					
AOID EVERACTABLECA				~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~				
ACID EXTRACTABLES*	200		/ ICA	CERTIFICATION				
D023 o-Cresol**	200.0	片	KIKIK	"Based upon my kr				
D024 m-Cresol**	200.0		13	waste and the proc	ess gene	rating		
D025 p-Cresol**	200.0			the waste, these co				
D026 Cresol	200.0		N N	not present in the w				
D037 Pentachlorophenol D041 2,4,5-Trichloropheno	100.0 I 400.0		151	hazardous classific	ation leve	:ls."		
D041 2,4,5-Trichloropheno			REFER	Signed Atak	P-Tou			
BOLE CLIO LUCINO SEUSIO		Print [164	Signed 2	~ , , , , , , , , , , , , , , , , , , ,			
** If o, m and p Cresols cannot	** If o, m and p Cresols cannot be differentiated, use Total Cresol concentration (Continued)							

* full instructions on separate sheet.

(Continued)

**************************************	JONIX KOERF	FIGATIO	ONS (Continued) 23 Continued		
TCLP REGULA			TITUENT TESTING CONDUCTED		
ACTION LE	EVELS	OR CEF	ERTIFICATION		
BASE NEUTRAL EXTRACTABLES*	mg./L	YES	NO CERTIFICATION "Based upon my knowledge of the		
D027 1,4-Dichlorobenzene	7.5		waste and the process generating		
D030 2,4-Dinitrotoluene	0.13	0000	the waste, these constituents are not present in the waste above		
D032 Hexachlorobenzene	0.13	H !	not present in the waste above In hazardous classification levels."		
D033 Hexachlorobutadiene D034 Hexachloroethane	0.5 3.0	H	Ki nazardous ciassincation levels.		
D034 Hexachioroethane D036 Nitrobenzene	2.0	ä,	以 hazardous classification levels." 以 Signed		
D036 Nitrobenzene D038 Pyridine	5.0		Signed Z		
Dugo Fyriume	OVO .	 ,			
PESTICIDES*			CERTIFICATION		
D020 Chlordane	0.03		☐ Based upon my knowledge of the		
D012 Endrin	0.02	Ч	waste and the process generating the waste, these constituents are		
D031 Heptachlor (& its Hydroxide) D013 Lindane	0.008 0.4	00000	waste and the process generating the waste, these constituents are not present in the waste above hazardous classification levels."		
D013 Lindane D014 Methoxychlor	10.0	H '	Not present in the waste above hazardous classification levels."		
D015 Toxaphene	0.5	ä '	M 0 - 0 -		
			Signed Stew R. Town		
HERBICIDES*	• · · · · · · · · · · · · · · · · · · ·	- !			
D016 2,4-D	10.0				
D017 2,4,5-TP (Silvex)	1.0	LJ ,			
APPLICATION PACKAGE CONTE All pertinent items must be included. 1) Waste Characterization Re 2) Lab Reports Required for: a. Free Liquid Testing b. pH c. Flashpoint d. Cyanide e. Sulfide f. Land Disposal Restrictio g. TCLP testing, including (g. TCLP testing, including (H. MSDS 5) Other:	ENTS d together in one a eport Form on Constituent Leve Copper and Zinc Waste	application p	PPLICATION SUBMITTAL package.		
"I hereby authorize Envotech personn contacted to give verbal permission. I a purposes of verification and confirmation Signed	authorize Envotect on."	h personne	ormation to the waste approval file provided I am nel to obtain a sample from any waste shipment for		
"I certify that all information (including attached information) is complete and factual and is an accurate representation of the known and suspected hazards, and waste generator regulations, pertaining to the waste described herein."					
Signature A. Tour	Printed N	ame Seve	m R. Tour Date 4/25 ks		